

Split (Multipiece) Rim and Single-Piece Rim Wheels

Chapter 296-864 WAC

Statutory Authority

296-864-100 Scope.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-100, filed 10/05/04, effective 02/01/05.]

296-864-200 Wheel components.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-200, filed 10/05/04, effective 02/01/05.]

296-864-20005 Make sure wheel components are compatible.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-20005, filed 10/05/04, effective 02/01/05.]

296-864-20010 Make sure rim wheels are serviced safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-20010, filed 10/05/04, effective 02/01/05.]

296-864-20015 Make sure damaged wheel components are not used.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-20015, filed 10/05/04, effective 02/01/05.]

296-864-300 Restraint devices.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-300, filed 10/05/04, effective 02/01/05.]

296-864-30005 Use a restraining device.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-30005, filed 10/05/04, effective 02/01/05.]

296-864-30010 Make sure the restraint device meets these requirements.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-30010, filed 10/05/04, effective 02/01/05.]

296-864-30015 Provide charts or rim manuals.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-30015, filed 10/05/04, effective 02/01/05.]

<http://www.lni.wa.gov/>

Split (Multipiece) Rim and Single-Piece Rim Wheels

Chapter 296-864 WAC

Statutory Authority

296-864-400 Service split rim wheels safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-400, filed 10/05/04, effective 02/01/05.]

296-864-40005 Establish a safe operating procedure for split rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-40005, filed 10/05/04, effective 02/01/05.]

296-864-40010 Follow these procedures for demounting split rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-40010, filed 10/05/04, effective 02/01/05.]

296-864-40015 Follow these procedures when working on split rim wheels and components.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-40015, filed 10/05/04, effective 02/01/05.]

296-864-40020 Follow these procedures for inflating split rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-40020, filed 10/05/04, effective 02/01/05.]

296-864-500 Service single-piece rim wheels safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-500, filed 10/05/04, effective 02/01/05.]

296-864-50005 Establish a safe operating procedure for single-piece rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-50005, filed 10/05/04, effective 02/01/05.]

296-864-50010 Follow these procedures for demounting single-piece rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-50010, filed 10/05/04, effective 02/01/05.]

Split (Multipiece) Rim and Single-Piece Rim Wheels

Chapter 296-864 WAC

Statutory Authority

296-864-50015 Follow these procedures when working on single-piece rim wheels and components.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-50015, filed 10/05/04, effective 02/01/05.]

296-864-50020 Follow these procedures for inflating single-piece rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-50020, filed 10/05/04, effective 02/01/05.]

296-864-600 Employee training.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-600, filed 10/05/04, effective 02/01/05.]

296-864-60005 Train employees who service rim wheels.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-60005, filed 10/05/04, effective 02/01/05.]

296-864-60010 Make sure employees demonstrate and retain the ability to service rim wheels safely.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-60010, filed 10/05/04, effective 02/01/05.]

296-864-700 Definitions.

[Statutory Authority: RCW 49.17.010, .040, .050, and .060. 04-20-079 (Order 04-13), § 296-864-700, filed 10/05/04, effective 02/01/05.]

<http://www.lni.wa.gov/>